



I N C H										
Shank	$b \pm .001$	d	d_1	$G \text{ UNC-2B}$	$d_3 \pm .01$	$C \pm .01$	$d_5 \pm .002$	$d_6 \pm .002$	$d_8 \pm .005$	$f_1 \pm .005$
CAT 30	.645	.2756	1.250	1/2-13	.590	.188	2.176	1.812	1.250	.4375
CAT 40	.645	.2756	1.750	5/8-11	.720	.188	2.863	2.500	1.750	.4375
CAT 50	1.02	.2756	2.750	1-8	1.125	.250	4.238	3.875	2.750	.4375
Shank	$f_2 \text{ Min.}$	$f_3 \pm .002$	$L_1 \pm .005$	$L_4 \text{ Min.}$	$L_6 \begin{smallmatrix} +.000 \\ -.015 \end{smallmatrix}$	$L_7 \begin{smallmatrix} +.000 \\ -.015 \end{smallmatrix}$	$e_1 \pm .004$	d_{12}	a	
CAT 30	1.38	.750	1.875	1.000	.735	.640	.826	.157	.125	
CAT 40	1.38	.750	2.687	1.120	.985	.890	1.062	.157	.125	
CAT 50	1.38	.750	4.000	1.750	1.485	1.390	1.653	.236	.125	